


External Data Sources: UWM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LIDAR, National Hydrography Dataset


High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)




Supplemental Land Cover


Impervious Surfaces (16.45 acres - 4.5% of total) (Bottom-Up**)




Agriculture (1.22 acres - 0.3% of total)



Wetlands (27.42 acres - 7.5% of total)



Tree Canopy (322.09 acres - 88% of total)



*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.
**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.
See UWM SAL High-Resolution Land Cover 2022 Report for more detail.

Morey

Waterbody 250ft Buffer

142 acres
(Base Land Cover Shown)


43°5'56"

0 0.65 Miles

External Data Sources: UWM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LIDAR, National Hydrography Dataset


High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)




Supplemental Land Cover


Impervious Surfaces (18.1 acres - 12.7 % of total) (Bottom-Up**)




Agriculture (0.83 acres - 0.6 % of total)



Wetlands (10.64 acres - 7.5 % of total)




Tree Canopy (107.77 acres - 75.9 % of total)



*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.

**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.


See UWM SAL High-Resolution Land Cover 2022 Report for more detail.



External Data Sources: UWM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LIDAR, National Hydrography Dataset


High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)




Supplemental Land Cover


Impervious Surfaces (8.26 acres - 2.6 % of total) (Bottom-Up**)




Agriculture (1.19 acres - 0.4 % of total)



Wetlands (24.4 acres - 7.8 % of total)



Tree Canopy (283.08 acres - 90.4 % of total)



*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.
**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.
See UWM SAL High-Resolution Land Cover 2022 Report for more detail.

Morey

Waterbody 100ft Buffer

57 acres

(Base Land Cover Shown)

43°56'


0

0.65 Miles

External Data Sources: UVM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LIDAR, National Hydrography Dataset


High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)




Supplemental Land Cover


Impervious Surfaces (8.66 acres - 15.2 % of total) (Bottom-Up**)




Agriculture (0.29 acres - 0.5 % of total)



Wetlands (4.54 acres - 8 % of total)




Tree Canopy (41.16 acres - 72.2 % of total)




*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.

**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/observed by other features. See UVM SAL High-Resolution Land Cover 2022 Report for more detail.




High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)




Supplemental Land Cover


Impervious Surfaces (65.69 acres - 1.7 % of total) (Bottom-Up**)




Agriculture (24.82 acres - 0.6 % of total)



Wetlands (132.33 acres - 3.3 % of total)



Tree Canopy (3,668.5 acres - 92.2 % of total)



*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.
**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.
See UWM SAL High-Resolution Land Cover 2015 Report for more detail.